

## Needs Assessment and Reasons for Consuming Food Supplements for Body-Building and Weightlifting Athletes in Ardabil Province

Received: 2020-08-04

Vol. 2, No.1. Winter. 2021, 10-23

Accepted: 2021-05-03

**Nima Hasanzadeh<sup>1\*</sup>**  
**Mehrdad Moharramzadeh<sup>2</sup>**  
**Abbas Naghizadeh Baghi<sup>3</sup>**

<sup>1</sup>MA of Sport Management,  
University of Mohaghegh Ardabili,  
Ardabil, Iran

<sup>2</sup>Professor of Sport Management,  
University of Mohaghegh Ardabili,  
Ardabil, Iran

<sup>3</sup>Associate Professor of Sport  
Management, University of  
Mohaghegh Ardabili, Ardabil, Iran

\*Correspondence :  
MA of Sport Management,  
University of Mohaghegh Ardabili,  
Ardabil, Iran

Email: [n.hasanzadeh@uma.ac.ir](mailto:n.hasanzadeh@uma.ac.ir)  
Orcid : 0000-0003-2553-0824

### Abstract

**Purpose:** The purpose of this study is to assess the needs and causes of dietary supplements for bodybuilding and weightlifting athletes in Ardabil province.

**Methods:** The present study is a descriptive research that was performed as a survey, both qualitative and quantitative strategies were used. The statistical population of this study consists of 385 athletes in the field of bodybuilding and weightlifting in Ardabil province. The interviewees were selected using targeted sampling with the participation of 11 of the best respondents to the questions to achieve theoretical saturation. Then, using MAXQDA12 software, the data was coded and the code was used for the researcher-made questionnaire. The findings showed that most of the supplements consumed by athletes in the study were 95% protein V-concentrate, V-isole protein, casein protein, egg white protein, soy protein, amino protein, and branched-chain amino acids.

**Results:** According to the results, there is a significant difference in the frequency of need for creatine supplementation among bodybuilding and weightlifting athletes in Ardabil province and the need for creatine supplementation in weightlifting athletes is more than bodybuilding athletes

( $P = 0.003$ ) (Meaning in other supplements). In other supplements, no significant difference was observed in the two disciplines ( $P \leq 0.05$ ).

**Conclusion:** The most important reasons for consuming dietary supplements in the athletes in the study of consumption are increasing muscle volume, increasing muscle strength, muscle recovery, being antioxidant, reducing fatigue, and burning fat, respectively.

**Keyword:** Bodybuilding, Causes of Consumption, Dietary Supplements, Weightlifting

## Introduction

In recent years, with the development of various sports sciences, there has been a significant growth in the sports supplement industry, and as a result, the motivation to use these supplements to improve health and improve the level of sports performance has increased. Today, the use of sports supplements has increased significantly and there are many reports on how, when to use, increase muscle mass and level of sports performance, and studies on the prevalence of sports supplement use among athletes show that on average 59% of athletes are prominent 43% of regular athletes use sports supplements (Khajvand, 2011). Supplements or energizers are substances prescribed by a doctor or sports specialist to improve performance or compensate for the lack of certain nutrients. Since there is not enough scientific evidence about the benefits of using these substances and most people expect to see unusual changes from them, these substances are prescribed in excess of the athlete's needs and their purpose is to enhance the athlete's performance due to their quasi-pharmacological effects.

Most research suggests that athletes are more exposed to energy, steroids and drugs than others, which is more common among strength athletes. Taking sports supplements is one of the most important topics in bodybuilding that should not be overlooked in any way, because a lot of misinformation about it is published in cyberspace and sites that you should be aware of them (Khajvand, 2011).

Every living organism has needs, the satisfaction of which is a condition for the survival and evolution of the organism (Fathi, 2013). The same is true of man. Every kind of conscious activity is ultimately directed towards satisfying needs, and the explanation and interpretation of needs in the realm of different sciences has been accompanied by

different orientations (Babaei, 2012). Psychologists consider need to be a psychological phenomenon that originates within humans. (Fathi, 2013).

Needs assessment is one of the most important concepts in the field of social services and education. It is an analysis that identifies two polar states, the present state (where we are) and the ideal state (where we should be) (Al-Raaya, 2013). Need indicates the gap between the current situation and the desired situation, and needs assessment is the process of gathering information about the needs of individuals, groups, organizations and institutions and prioritizing them in order to provide the necessary ground for addressing these needs. Sports needs assessment is the process of collecting and analyzing information on sports needs expressed by individuals, groups and communities. The purpose of physical education is a branch of educational sciences, to provide various educational services to individuals, which is the first step in sports planning to provide sports and identify the needs of a community (Fathi, 2013).

Nutrition has always been on the minds of athletes since humans became involved in sports. With the advancement of the sciences of exercise physiology, metabolism, and nutrition, it has been proven that diet and nutritional intake affect the performance of athletes (Molinero, 2009). But the benefits of dietary supplements, as athletes themselves believe, have not been fully proven (McDowall, 2007). Nutritional supplements, also known as sports supplements, are substances used by athletes to alleviate athletes' nutritional deficiencies (e.g., iron deficiency), or to increase their athletic performance (e.g., creatine). Therefore, in practice, it can be said that dietary supplements are compounds that are normally found in the diet and do not have doping properties (Khorasani, 2014). Many athletes use sports

supplements for a variety of reasons, and figures in developed countries suggest that supplements are on the rise in the athlete community (Jeffrey, 2013). The Canadian sports champions at the Atlanta and Sydney Olympics, 69% and 74%, respectively, had a history of taking supplements for sports. Due to the growing popularity of supplements for athletes, the supplement manufacturing and sales industry has also enjoyed significant growth, with supplement sales in the United States reaching more than \$ 17 billion a year (Rahim Nik, 1995).

Considering that athletes' nutritional needs are higher than normal people, and with increasing duration and intensity of physical activity, these needs also increase, meeting the metabolic needs of athletes during exercise or after recovery, in order to prepare the body for training meals. Next, you need to consume more nutrients (Askari, 2012). In some cases, it is difficult for such athletes to meet their energy needs, which sometimes reach more than 9,000 kcal per day, through normal nutrition, due to the large amount of food consumed or the short interval between training meals. Taking dietary supplements in these cases can be beneficial because they have the nutrients needed by athletes in smaller volumes (Sasan, 2013).

The most important reasons for taking supplements among athletes in Iran and other countries are increased muscle mass, athletic performance, immune function and health. In Kimio Vasimio (2009) research, inadequate nutrition and performance excellence; in Bran et al. (2009) research, health and performance enhancement; in Tian et al. (2009) research, energy generation, health and mass growth, Kubriner's (2009) study reported increased performance, and in Petrogeki et al.'s (2008) study on elite young athletes, increased strength, recovery, and lack of injury were among the causes of supplementation (Azizi, 2013). Amirsasan et al. (2011) in

their study of the use of nutritional supplements among elite Iranian wrestlers as performance improvement as the main reason for supplementation by athletes (Azizi, 2013). In the face-to-face study of colleagues (2012) on 150 athletes in Tabriz, the main reason for taking nutritional supplements was mentioned as providing nutritional needs (Eshmatami, 2009). Azizi (2012) examining the prevalence of consumption and reasons for taking supplements in male rowers of the Iranian national team reported that the reason for taking supplements in rowers was an increase in speed (26%), strength (27%) and endurance (37%) (Azizi, 2013). Nutritional knowledge about supplements seems to be scarce among athletes around the world. In the study of Kargarfard et al. (2008), despite the prevalence of 32% of supplement consumption among athletes in Lorestan province, 86% of them reported their knowledge and knowledge about nutritional supplements and doping below average (Arazi, 2015).

In the present era, due to the increasing expansion of cyberspace and before that, the recognition of prominent figures in the world of sports, especially bodybuilders and weightlifters, many people have physically likened their lifestyles and bodies to foreign and national champions. And this nature has increased in our society today, both in men and women, and many athletes use different strategies to achieve results faster and better, even in national and international athletes, and the use of dietary supplements is one of the fastest ways to achieve success. At present, in all clubs, all athletes in the fields of bodybuilding, classical wind and physics are looking for competitions at the amateur level or use dietary supplements in some way for weight loss and obesity, and its prevalence is clearly visible in society today.

The important issue is how to prepare and the reasons for using these types of supplements. In recent years, we have seen widespread

publicity in pharmacies and pharmacies as licensed dietary supplements, and the availability of purchases has increased the use of these supplements. The lucrative sales of these supplements in recent years and the high number of organized athletes in bodybuilding and weightlifting have led to many companies today, in addition to being smuggled in large quantities, distributing dietary supplements at the pharmacy level.

In Iran, few studies have been done on the status of dietary supplements in athletes and most studies have examined the use of energizers. Gathering information about dietary supplements, how to sell, percentage of purchases of dietary supplements and updating the reasons for consuming dietary supplements, society, will provide reliable information for companies producing and importing these products, sports planners and health center managers. Considering the high volume of people interested in bodybuilding and weightlifting sports in Ardabil province and their tendency to consume dietary supplements, conducting research in the province regarding the reasons for consuming these dietary supplements among athletes and also assessing the needs of these items seems necessary. This study will be conducted with the aim of assessing the needs and reasons for consuming dietary supplements for bodybuilding and weightlifting athletes in Ardabil province.

## Materials and Methods

The present study is a descriptive study that was conducted as a survey. In this research, both qualitative and quantitative strategies have been used. The statistical population of this study consists of all bodybuilding and weightlifting athletes in Ardabil province. Cochran's formula was used to determine the sample size and the sample size was 385 people. Multi-stage sampling method was used to select the sample units. In this section, first, using cluster sampling method, clusters

were selected and then inside the clusters, athletes were selected by random sampling and answered the questionnaires. In the qualitative section and for interviews using purposive sampling, expert participants were selected until theoretical saturation was achieved.

In this research, to collect information on the theoretical foundations and literature of the subject, the library method has been used by reviewing domestic and foreign books, journals and articles extracted from reputable and related Internet sites and libraries of the country's universities. Measurement tools included interviews and questionnaires. Participants were selected for the interview using purposive sampling to provide the best answers to the research questions, and when the number of participants reached 11, theoretical saturation was achieved. Then, using MAXQDA12 software, the data were coded and the codes were used and a research questionnaire was created.

To determine the validity of the questionnaire, the content method was used, the questionnaire was presented to professors and sports management specialists and was approved by professors and sports management specialists. To determine the reliability of the instrument, using a pilot study, 30 athletes were selected and after completing the questionnaire and 15 days later, the questionnaire was redistributed among them. The correlation coefficient between the questions in the two performances was more than 0.75 in all cases, which indicates the reliability of the tool.

1. Selecting participants to be interviewed using targeted sampling
2. Conducting interviews and recording all stages of the interview
3. Transcribing all interviews.
4. Using MAXQDA12 software and performing open coding.

5. Achieving theoretical saturation in the interview and completing the open coding stage.
6. Designing a needs assessment questionnaire from the open code.
7. Content validity assessment.
8. Assessing the reliability of the questionnaire in a pilot study and ensuring its reliability.
9. Achieving accurate statistics of athletes from the General Department of Sports and Youth Affairs of Ardabil province.
10. Determining the sample size and sampling method.
- 11- Creating the questionnaire and distributing it among the sample members.
12. Collecting questionnaires and transferring data to SPSS24 software.
13. Consulting Ardabil Pharmacy Exchange to determine the price of items.
14. Data analysis.

15. Submitting a research report.

In order to organize, summarize the data and describe the sample sizes in this study, descriptive statistics such as frequency tables, mean, standard deviation were used. To evaluate the normality of the data distribution of each variable, skewness and kurtosis indices were used and to answer the research questions and test the hypotheses, binomial tests and one-sample t-test using SPSS software version 24 were used.

## Results

According to Table 1 below, the amount of skewness and elongation for the variables related to the reason for taking dietary supplements in athletes is between 2- and +2. Therefore, the distribution of variables related to the reason for taking dietary supplements in research athletes is normal.

**Table 1. Investigating the normality of the distribution of variables related to the cause of dietary supplements in athletes**

| Variable name                   | Mean | Standard deviation | Skewness | kurtosis |
|---------------------------------|------|--------------------|----------|----------|
| Reducing fatigue                | 3.82 | 0.83               | -0.09    | -0.77    |
| Being an antioxidant            | 3.86 | 0.82               | -0.31    | -0.34    |
| Blood supply and blood pumping  | 3.32 | 1.15               | -0.28    | -0.63    |
| Energy supply                   | 3.52 | 1.02               | -0.38    | -0.25    |
| Increasing muscle volume        | 4.08 | 1.02               | -1.07    | 0.67     |
| Muscle recovery                 | 4.01 | 0.85               | -0.60    | 0.25     |
| Tissue repair and maintenance   | 3.79 | 0.80               | -0.37    | -0.20    |
| Increasing muscle strength      | 4.05 | 0.84               | -0.66    | 0.16     |
| Fat burning                     | 3.78 | 0.93               | -0.61    | 0.39     |
| Cell health                     | 3.81 | 0.92               | -0.33    | -0.57    |
| Preventing muscle damage        | 3.76 | 0.89               | -0.40    | -0.20    |
| Bone health                     | 3.49 | 1.09               | -0.34    | -0.49    |
| Improving sleep quality         | 3.56 | 1.05               | -0.40    | -0.33    |
| Memory Improvement              | 2.69 | 1.29               | 0.33     | -0.98    |
| Increasing athletic performance | 3.56 | 1.01               | -0.38    | -0.04    |
| Body growth                     | 3.82 | 0.86               | -0.48    | 0.36     |
| Nervous system focus            | 3.39 | 0.99               | -0.11    | -0.32    |
| Increasing endurance            | 3.62 | 0.89               | -0.25    | -0.13    |
| Improving heart health          | 3.76 | 0.99               | -1.06    | 0.58     |

The data obtained from Table 2 using the binomial statistical test show that with 95% confidence that in the opinion of athletes, the concentrations of V-concentrate protein, V-isolated protein, casein protein, egg white protein, soy protein, amino protein, Branched-chain amino acids, multivitamins, pumps, weight gainers, Creatine, Glutamine,

Arginine, caffeine, green tea extract, ginseng, L-carnitine, zinc, vitamin E, vitamin C, Fe, vitamin A, vitamin B12, Magnesium, Calcium are among the needs of athletes in the field of bodybuilding and weightlifting in Ardabil province, and the rest of the supplements in the table are not among the needs.

**Table 2: The results of Binomial test for the supplements required by athletes in the field of bodybuilding and weightlifting in Ardabil province**

| No | Supplement name               | Observed Pro |     | N   |     | p.value |
|----|-------------------------------|--------------|-----|-----|-----|---------|
|    |                               | No           | Yes | No  | Yes |         |
| 1  | Concentrate Protein           | 37           | 63  | 143 | 242 | 0.001   |
| 2  | Isolated Protein              | 29           | 71  | 111 | 274 | 0.001   |
| 3  | Casein protein                | 84           | 16  | 322 | 63  | 0.001   |
| 4  | Egg white protein             | 65           | 35  | 252 | 133 | 0.001   |
| 5  | Soybean Soy Protein           | 29           | 71  | 113 | 272 | 0.001   |
| 6  | Amino                         | 31           | 69  | 120 | 265 | 0.001   |
| 7  | Branched amino acids          | 61           | 39  | 236 | 149 | 0.001   |
| 8  | Dipartic acid                 | 94           | 6   | 361 | 24  | 0.006   |
| 9  | Multi vitamin                 | 38           | 62  | 146 | 239 | 0.001   |
| 10 | Pomp                          | 74           | 26  | 283 | 102 | 0.001   |
| 11 | Weight Gainers                | 68           | 32  | 260 | 125 | 0.001   |
| 12 | Gamma minobiotric acid        | 98           | 2   | 377 | 8   | 0.001   |
| 13 | Zinc monometonin aspartate    | 91           | 9   | 350 | 35  | 0.311   |
| 14 | Creatine                      | 40           | 60  | 155 | 230 | 0.001   |
| 15 | Glutamine                     | 39           | 61  | 150 | 235 | 0.001   |
| 16 | Beta-alanine                  | 89           | 11  | 342 | 43  | 0.245   |
| 17 | Losin                         | 96           | 4   | 368 | 16  | 0.001   |
| 18 | Hydroxybeta - methyl butyrate | 95           | 5   | 363 | 21  | 0.001   |
| 19 | Taurine                       | 98           | 2   | 375 | 9   | 0.001   |
| 20 | Ornithine alpha ketoglutrata  | 98           | 2   | 376 | 8   | 0.001   |
| 21 | Alanin                        | 96           | 4   | 368 | 17  | 0.001   |
| 22 | Choline                       | 100          | 0   | 384 | 1   | 0.001   |
| 23 | De Ribose                     | 98           | 2   | 378 | 7   | 0.001   |
| 24 | Phosphatidylserine            | 98           | 2   | 377 | 8   | 0.001   |
| 25 | Alpha keto isocaproic         | 99           | 1   | 384 | 4   | 0.001   |
| 26 | Arginine                      | 62           | 38  | 238 | 147 | 0.001   |
| 27 | Tribulus terrestris           | 88           | 12  | 338 | 47  | 0.090   |
| 28 | Adenosine triphosphate        | 93           | 7   | 359 | 26  | 0.017   |

|    |                             |     |    |     |     |       |
|----|-----------------------------|-----|----|-----|-----|-------|
| 29 | Caffeine                    | 63  | 37 | 242 | 143 | 0.001 |
| 30 | Green tea extract           | 75  | 25 | 287 | 98  | 0.001 |
| 31 | Citrulline malate           | 98  | 2  | 377 | 8   | 0.001 |
| 32 | Coenzyme Q10                | 95  | 5  | 366 | 19  | 0.001 |
| 33 | Rudiola Rosia               | 98  | 2  | 379 | 6   | 0.001 |
| 34 | Cordyceps                   | 100 | 0  | 384 | 1   | 0.001 |
| 35 | Pirovat                     | 98  | 2  | 376 | 9   | 0.001 |
| 36 | Gensing                     | 85  | 15 | 329 | 56  | 0.003 |
| 37 | Chromium                    | 97  | 3  | 373 | 12  | 0.001 |
| 38 | Medium Chinese triglyceride | 98  | 2  | 378 | 7   | 0.001 |
| 39 | Fenugreek extract           | 94  | 6  | 362 | 23  | 0.001 |
| 40 | Linoleic acid               | 8   | 2  | 316 | 69  | 0.001 |
| 41 | Koleus Forskli              | 99  | 1  | 382 | 3   | 0.001 |
| 42 | Sinfarin                    | 99  | 1  | 380 | 5   | 0.001 |
| 43 | Uhimbeh                     | 97  | 3  | 374 | 11  | 0.001 |
| 44 | Echinacea                   | 98  | 2  | 378 | 7   | 0.001 |
| 45 | Glucosamine Sulfate         | 92  | 8  | 353 | 32  | 0.154 |
| 46 | Beta glucan                 | 98  | 2  | 377 | 8   | 0.001 |
| 47 | Chondroitin sulfate         | 99  | 1  | 381 | 4   | 0.001 |
| 48 | Collostrom                  | 99  | 1  | 380 | 5   | 0.001 |
| 49 | Tiananmen                   | 97  | 3  | 374 | 11  | 0.001 |
| 50 | Complement ST. JOHN'S WORT  | 99  | 1  | 381 | 4   | 0.001 |
| 51 | Triptopan                   | 97  | 3  | 373 | 12  | 0.001 |
| 52 | Melatonin                   | 96  | 4  | 371 | 14  | 0.001 |
| 53 | Kava Kava                   | 98  | 2  | 379 | 6   | 0.001 |
| 54 | Tyrosine                    | 99  | 1  | 383 | 2   | 0.001 |
| 55 | Christine                   | 98  | 2  | 378 | 7   | 0.001 |
| 56 | Zinc                        | 82  | 18 | 317 | 68  | 0.001 |
| 57 | Vitamin E                   | 37  | 63 | 144 | 241 | 0.001 |
| 58 | Lycopene                    | 90  | 10 | 348 | 37  | 0.441 |
| 59 | Vitamin C                   | 36  | 64 | 137 | 248 | 0.001 |
| 60 | Iron                        | 65  | 35 | 251 | 134 | 0.001 |
| 61 | Vitamin A                   | 66  | 34 | 253 | 132 | 0.001 |
| 62 | Vitamin B12                 | 52  | 48 | 202 | 183 | 0.001 |
| 63 | Magnesium                   | 81  | 19 | 313 | 72  | 0.001 |
| 64 | Lutein                      | 91  | 9  | 350 | 35  | 0.311 |
| 65 | Calsium                     | 53  | 47 | 205 | 180 | 0.001 |

Is there a difference between the frequency of supplementation required by bodybuilding and weightlifting athletes in Ardabil province?

To test the above hypothesis, in each of the required supplements among athletes in the two disciplines of bodybuilding and fraternity weights, Fisher test was used and the results according to Table 3 showed that only

in the frequency of need for creatine supplement among bodybuilding athletes and there is a significant difference in weightlifting in Ardabil province and the need for creatine supplement in weightlifters is more than bodybuilders ( $p = 0.003$ ). In other supplements, no significant difference was observed in the two disciplines ( $P \leq 0.05$ ).

**Table 3: The frequency of use of various supplements required in athletes in the field of bodybuilding and weightlifting**

| Supplement           | Consumption status | Bodybuilding     | Weightlifting    | p.value |
|----------------------|--------------------|------------------|------------------|---------|
|                      |                    | (Percent) Number | (Percent) Number |         |
| Concentrate Protein  | Yes                | (62.7) 217       | (64.1) 25        | 1.0     |
|                      | No                 | (37.3) 129       | (35.9) 14        |         |
| Isolated Protein     | Yes                | (69.9) 242       | (82.1) 32        | 0.137   |
|                      | No                 | (30.1) 104       | (17.9) 7         |         |
| Casein protein       | Yes                | (16.5) 57        | (16.4) 6         | 1.0     |
|                      | No                 | (83.5) 289       | (84.6) 33        |         |
| Egg white protein    | Yes                | (34.7) 120       | (33.3) 13        | 1.0     |
|                      | No                 | (65.3) 226       | (67.7) 26        |         |
| Soybean Soy Protein  | Yes                | (69.4) 240       | (82.1) 32        | 0.137   |
|                      | No                 | (30.6) 106       | (17.9) 7         |         |
| Amino                | Yes                | (69.1) 239       | (66.7) 26        | 0.855   |
|                      | No                 | (30.9) 107       | (33.3) 13        |         |
| Branched amino acids | Yes                | (38.7) 134       | (38.5) 15        | 1.0     |
|                      | No                 | (61.3) 212       | (61.5) 24        |         |
| Multi vitamin        | Yes                | (63.3) 219       | (51.3) 20        | 0.165   |
|                      | No                 | (36.7) 127       | (48.7) 19        |         |
| Pomp                 | Yes                | (26.6) 92        | (25.6) 10        | 1.0     |
|                      | No                 | (73.4) 254       | (74.4) 29        |         |
| Weight Gainers       | Yes                | (33.2) 115       | (25.6) 10        | 0.373   |
|                      | No                 | (66.8) 231       | (74.4) 29        |         |
| Creatine             | Yes                | (57.2) 198       | (82.1) 32        | 0.003   |
|                      | No                 | (42.8) 148       | (17.9) 7         |         |
| Glutamine            | Yes                | (61.8) 214       | (53.8) 21        | 0.387   |
|                      | No                 | (38.2) 132       | (46.2) 18        |         |
| Arginine             | Yes                | (39.3) 136       | (28.2) 11        | 0.224   |



|                   |     |            |           |       |
|-------------------|-----|------------|-----------|-------|
|                   | No  | (60.7) 210 | (71.8) 28 |       |
| Caffeine          | Yes | (38.2) 132 | (28.2) 11 | 0.294 |
|                   | No  | (61.8) 214 | (71.8) 28 |       |
| Green tea extract | Yes | (26.3) 91  | (17.9) 7  | 0.333 |
|                   | No  | (73.7) 255 | (82.1) 32 |       |
| Gensing           | Yes | (15.3) 53  | (7.7) 3   | 0.240 |
|                   | No  | (84.7) 293 | (92.3) 36 |       |
| El carnitin       | Yes | (59.5) 206 | (64.1) 25 | 0.610 |
|                   | No  | (40.5) 140 | (35.9) 14 |       |
| Zinc              | Yes | (18.2) 63  | (12.8) 5  | 0.510 |
|                   | No  | (81.8) 283 | (87.2) 34 |       |
| Vitamin E         | Yes | (63.6) 220 | (53.8) 21 | 0.295 |
|                   | No  | (36.4) 126 | (46.2) 18 |       |
| Vitamin C         | Yes | (63) 218   | (76.9) 30 | 0.112 |
|                   | No  | (37) 128   | (23.1) 9  |       |
| Iron              | Yes | (36.1) 125 | (23.1) 9  | 0.114 |
|                   | No  | (63.9) 221 | 76.9 30   |       |
| Vitamin A         | Yes | (35.5) 123 | (23.1) 9  | 0.154 |
|                   | No  | (64.5) 223 | (76.9) 30 |       |
| Vitamin B12       | Yes | (48) 166   | (43.6) 17 | 0.617 |
|                   | No  | (52) 180   | (56.4) 22 |       |
| Magnesium         | Yes | (18.8) 65  | (17.9) 7  | 1.0   |
|                   | No  | (81.2) 281 | (82.1) 32 |       |
| Calcium           | Yes | (46) 159   | (53.8) 21 | 0.399 |
|                   | No  | (54) 187   | (46.2) 18 |       |

What is the annual cost of nutritional supplements needed by bodybuilding and weightlifting athletes in Ardabil province? The information obtained from Table 4

shows that the total amount of food supplements needed by bodybuilding and weightlifting athletes in Ardabil province is 287,973,449,400 Rials.

**Table 4: The sum of food supplements costs required by athletes in the field of bodybuilding and weight-lifting in Ardabil province**

| No    | Supplement                 | Average price (Rials) | Number of needs | Number of athletes | Sum (Rials)     |
|-------|----------------------------|-----------------------|-----------------|--------------------|-----------------|
| 1     | Concentrate protein (g)    | 800                   | 3000            | 3367               | 8.080.800.000   |
| 2     | Isolate Protein (g)        | 3500                  | 2560            | 3367               | 30.168.320.000  |
| 3     | Casein protein (g)         | 2000                  | 763             | 3367               | 5.138.042.000   |
| 4     | Egg white protein (g)      | 1500                  | 1287            | 3367               | 6.499.993.500   |
| 5     | Soybean Soy Protein        | 1000                  | 1287            | 3367               | 7.407.400.000   |
| 6     | Amino (number)             | 14000                 | 1175            | 3367               | 55.387.150.000  |
| 7     | Branched amino acids (g)   | 9000                  | 400             | 3367               | 12.121.200.000  |
| 8     | Multivitamin (number)      | 5000                  | 180             | 3367               | 3.030.300.000   |
| 9     | Pump (hot)                 | 11000                 | 378             | 3367               | 13.999.986.000  |
| 10    | Weight Gainers (g)         | 1600                  | 1667            | 3367               | 8.980.462.400   |
| 11    | Creatine (g)               | 5000                  | 1668            | 3367               | 28.249.130.000  |
| 12    | Glutamine (g)              | 10000                 | 790             | 3367               | 26.599.300.000  |
| 13    | Arginine (number)          | 28000                 | 207             | 3367               | 19.515.132.000  |
| 14    | Green tea extract (number) | 3000                  | 220             | 3367               | 2.222.220.000   |
| 15    | Ginseng (number)           | 32000                 | 18              | 3367               | 1.939.392.000   |
| 16    | L-Carnitine (number)       | 20000                 | 220             | 3367               | 14.814.800.000  |
| 17    | Zinc (number)              | 3500                  | 165             | 3367               | 1.944.442.500   |
| 18    | Vitamin E (number)         | 11000                 | 35              | 3367               | 1.296.295.000   |
| 19    | Vitamin C (number)         | 10000                 | 300             | 3367               | 10.101.000.000  |
| 20    | Iron (number)              | 4000                  | 100             | 3367               | 1.346.800.000   |
| 21    | Vitamin A                  | 22000                 | 44              | 3367               | 3.259.256.000   |
| 22    | Vitamin B 12               | 3000                  | 125             | 3367               | 1.262.625.000   |
| 23    | Magnesium                  | 9000                  | 145             | 3367               | 4.393.935.000   |
| 24    | Calcium                    | 2000                  | 162             | 3367               | 1.090.908.000   |
| 25    | Caffeine (number)          | 16000                 | 355             | 3367               | 19.124.460.000  |
| Total |                            |                       |                 |                    | 287.973.449.400 |

What are the reasons for taking dietary supplements in bodybuilding and weightlifting athletes in Ardabil province?

According to Table 5, a one-sample t-test was used to examine this question and the results showed that except for the reason of

memory enhancement, the mean of which was lower than the mean of the other variables, because they had a higher mean than the mean of the concept. According to athletes, they are one of the reasons for taking sports supplements.

**Table 5: Comparison of mean variables of causes of dietary supplement consumption in athletes with conceptual mean**

| Status of variables Causes of dietary supplements in athletes<br>(Conceptual Average = 3) |      |                    |        |     |       |         |
|---|------|--------------------|--------|-----|-------|---------|
| Variables of causes of consumption  | Mean | Standard deviation | Number | df  | t     | p.value |
| Reducing fatigue  | 3.82 | 0.83               | 385    | 384 | 19.39 | 0.001   |
| Being an antioxidant  | 3.86 | 0.82               | 385    | 384 | 20.59 | 0.001   |
| Blood supply and blood pumping  | 3.32 | 1.15               | 385    | 384 | 5.53  | 0.001   |
| Energy supply   | 3.52 | 1.02               | 385    | 384 | 20.82 | 0.001   |
| Increasing muscle volume  | 4.08 | 1.02               | 385    | 384 | 20.82 | 0.001   |
| Muscle recovery   | 4.01 | 0.085              | 385    | 384 | 23.22 | 0.001   |
| Tissue repair and maintenance   | 3.79 | 0.80               | 385    | 384 | 19.35 | 0.001   |
| Increasing muscle strength  | 4.05 | 0.84               | 385    | 384 | 24.57 | 0.001   |
| fat burning   | 3.78 | 0.93               | 385    | 384 | 16.47 | 0.001   |
| Cell health   | 3.81 | 0.92               | 385    | 384 | 17.23 | 0.001   |
| Preventing muscle damage  | 3.76 | 0.89               | 385    | 384 | 16.78 | 0.001   |
| Bone health   | 3.49 | 1.09               | 385    | 384 | 8.84  | 0.001   |
| Improving sleep quality   | 3.56 | 1.05               | 385    | 384 | 10.51 | 0.001   |
| Memory Improvement  | 2.69 | 1.29               | 385    | 384 | -4.69 | 0.001   |
| Increasing athletic performance   | 3.56 | 1.01               | 385    | 384 | 11.02 | 0.001   |
| Body growth   | 3.82 | 0.86               | 385    | 384 | 18.73 | 0.001   |
| Nervous system focus  | 3.39 | 0.99               | 385    | 384 | 7.70  | 0.001   |
| Increasing endurance  | 3.62 | 0.89               | 385    | 384 | 13.66 | 0.001   |
| Improving heart health  | 3.76 | 0.99               | 385    | 384 | 15.09 | 0.001   |
| Reducing pain   | 3.25 | 1.07               | 385    | 384 | 4.65  | 0.001   |
| Improve mood  | 3.71 | 0.99               | 385    | 384 | 14.03 | 0.001   |
| Creating peace  | 3.61 | 0.99               | 385    | 384 | 11.9  | 0.001   |
| Reducing depression   | 3.86 | 0.86               | 385    | 384 | 19.70 | 0.001   |
| Regulating blood pressure   | 3.33 | 1.16               | 385    | 384 | 5.68  | 0.001   |
| Improving the aerobic system  | 3.37 | 0.92               | 385    | 384 | 7.86  | 0.001   |
| Immune system   | 3.63 | 0.77               | 385    | 384 | 15.87 | 0.001   |
| Increase in exercise volume   | 3.81 | 0.92               | 385    | 384 | 17.26 | 0.001   |
| Helping hydrate the body  | 3.38 | 1.15               | 385    | 384 | 6.43  | 0.001   |
| Increasing heat tolerance capacity  | 3.30 | 1.18               | 385    | 384 | 5.01  | 0.001   |
| Decreasing appetite   | 3.50 | 0.97               | 385    | 384 | 10.09 | 0.001   |
| Improving skin health   | 4.11 | 1.06               | 385    | 384 | 20.31 | 0.001   |
| Increasing awareness  | 3.03 | 0.84               | 385    | 384 | 23.97 | 0.001   |
| Reducing inflammation   | 3.85 | 0.81               | 385    | 384 | 20.62 | 0.001   |

## Discussion

The purpose of this study is to assess the needs and causes of dietary supplements for bodybuilding and weightlifting athletes in Ardabil province. The present study seeks to investigate the causes of the use of dietary supplements in bodybuilding and weightlifting athletes in Ardabil province. In this study,

the required dietary supplements, available prices and the difference between their use in bodybuilding and weightlifting athletes in Ardabil province are evaluated.

Most of the supplements consumed by athletes in the field of bodybuilding and weightlifting in Ardabil province in the research of the information obtained from Table 2 using

the binomial statistical test show that with 95% confidence, it can be said that in the opinion of athletes, supplements of protein V concentrate, protein V isolated, casein protein, egg white protein, soy protein, amino acids, branched-chain amino acids, multivitamins, pumps, weight gainers (gins), creatine, Glutamine, Arginine, caffeine, green tea extract, ginseng, L-carnitine, Zinc, vitamin E, vitamin C, Fe, vitamin A, vitamin B12, magnesium, calcium are among the needs of athletes in the field of bodybuilding and weightlifting in Ardabil province, and the rest of the supplements in the table are not needed. According to the results of Table 3, which shows that only in the frequency of creatine supplementation need there is a significant difference between bodybuilding and weightlifting athletes in Ardabil province and the need for creatine supplementation in weightlifters is more than bodybuilders ( $P=0.003$ ) No significant difference was observed in the two strands in other supplements ( $P\geq 0.05$ ). The information obtained from Table 4 shows that the total amount of food supplements needed by bodybuilding and weightlifting athletes in Ardabil province is 287,973,449,400 Rials. Findings of this study in Table 5 show that the most important reasons for taking dietary supplements in the athletes in this study are increasing muscle mass, increasing muscle strength, improving skin health, muscle recovery, being an antioxidant, reducing fatigue, and burning fat.

## Conclusion

The findings of this study in Table 2 indicate the dietary supplements used by athletes in the fields of bodybuilding and weightlifting. Based on these findings, protein V isolate and amino acids are the main supplements consumed by these bodybuilders and creatine supplement is the main supplement consumed by weightlifters. These findings are also similar to the findings of the Petroleum Research. Of course, in the meantime, the

concern about the lack of necessary knowledge about how and how much to take supplements remains strong.

The findings of this study on the reasons for taking supplements have yielded interesting results and in order of priority, increasing muscle mass, increasing muscle strength, muscle recovery have been mentioned as their reasons for taking supplements (Table 5). This finding is inconsistent with many previous studies that introduce changes in body composition and success in competition as the main reasons for taking supplements, and according to the focus on body needs in 35% of respondents, can be a positive sign of a change in the knowledge of the athletes being tested.

In Kimio and Simio (2009) research, insufficient nutrition and superiority in performance, in Bran et al. (2009) health and performance increase, in Tian et al. (2009) energy generation, health and increase in muscle mass, in Kubriner research. (2009) Increased performance and in the study of Petrogy et al. (2008) Increased strength, recovery and non-injury were among the reasons for supplement use that are somewhat consistent with the results of the present study. In most studies in this field, increasing performance and accelerating recovery were the main reasons for consuming carbohydrate supplements in athletes. Regarding the causes of supplementation, although some studies indicate the existence of sexual differences, but in most studies, weight gain and strength in men has been a major cause of supplementation, which does not agree with the results of the present study. Another reason for supplementation in athletes was performance improvement. This shows that athletes believe that their normal diet is not a good source of nutrition to maintain good health and athletic performance. According to the results obtained from the research of Amirsasan et al. (2011), the most important

reasons related to supplement consumption from the perspective of athletes is the improvement of athletic performance (62%, 54%), increased power (51%), and energy production (50%). Weight loss (4%), pain relief (8%) and body fat loss (99%) had the least role in supplementation.

In Kubriner (2009)'s study, performance enhancement and in Petrogeki et al.'s (2008) study on elite young athletes, increased strength, recovery and lack of injury were among the reasons for supplementation and were reported, which is somewhat consistent with the results of this study. Amirsasan et al. (2011) in the study of nutritional supplement consumption among elite Iranian wrestlers stated that performance improvement is the main reason for supplementation by athletes that does not correspond to the results of this study. In the face-to-face study of colleagues et al. (2012) on 150 athletes in Tabriz, the main reason for taking nutritional supplements was mentioned, which is not consistent with the present study. Azizi (2012) examining the prevalence of consumption and reasons for taking supplements in male rowers of the Iranian national team reported that the reason for taking supplements in rowers was an increase in speed (26%), strength (27%) and endurance (37%). The findings of this study are rejected.

## References

1. Khajvand, N. (2011). Anabolic steroids and dietary supplements in exercise. 49(24), 95 – 80. (Persian).
2. Babaei, M. (2012). Basics of Information Needs Assessment, 12(4), 32-21. (Persian).
3. Fathi, Hajj K. (2013) Educational needs assessment, 35-22. (Persian).
4. Rahim Nik, A. (1995). Theory of Needs Motivation. Islamic Azad University. Tehran. (Persian).
5. Sasan, T. (2013). Frequency, Type, and Causes of Dietary Supplements in Iranian Athletes Participating in the 2012 London Olympics Based on Theory of Planned Behavior. Institute of Physical Education and Sport Science, Ministry of Science, Research and Technology. 21(4), 60-43. (Persian).
6. Azizi, M. (2013) Exploring the prevalence of consumption and the reasons for supplementation in male sailors of the Iranian national team - Sports Physiology 5(20), 53-62. (Persian).
7. Eshmatami, M. (2009) Psychic Right, M. Azerpira, Q. & Prevalence, A. Reasons for Use, and Sources of Information on Sport-Dietary Supplements in Athletes of Different Fields in Tabriz City, 8. (Persian).
8. Arazi, H., Zahed Abolhassani, M. & Baziar, F. (2015) A Study of Prevalence, Awareness, and Attitude Towards Negative Consequences. Sports Physiology, 9. (Persian).
9. Askari E. J., & Gleeson, M.S. (2012) Sport Nutrition Introduction to Energy Production and Sport Performance, translated by Hamid Mohebbi, Reza Nouri, Hadi Rouhani, Tehran, Hatami Publications, First Edition, 120-122. (Persian).
10. Al-Raaya, A., Berklin, M., & Atari, M. (2013) Educational Needs Assessment of Psychiatric Residents of Isfahan University of Medical Sciences about Suicide: A Qualitative Research. Iranian Journal of Psychiatry and Clinical Psychology, 8(2), 108-114. (Persian).
11. Fathi Hajj, K. (2013) Educational Needs Assessment of Patterns and Techniques, Tehran, Abiz Publishing, Ninth Edition, 24- 26. (Persian)
12. Khorasani, A., & Eid, A. (2014). Applied Educational Needs Assessment Techniques, Second Edition, Tehran, Iran Educational and Industrial Research Center Publications, 119-122. (Persian)

13. Jeffrey J, M. (2010). Behavior, Theory and Practice: Promoting Physical Activity among American College Students. A Dissertation Submitted to the Faculty of the Graduate School at the University of North Carolina at Greensboro, 70-73.
14. Volpe, SL. (2007). Micronutrient requirements for athletes. *Clin Sports Med*; 26(1), 119-30.
15. Jeukendrup, A. (2008). Carbohydrate feeding during exercise. *Eur J Sport Sci*, 89(2), 77-86.
16. Summers, Gene F., & etal. (1987). Needs Assessment. Iowa State University Press, 9.
17. Nutrition Business Journal. Supplement Business Report. (2016). New York, NY: Penton.
18. Kalra, E. K. (2003). Nutraceutical-definition and introduction. *The AAPS Journal*, 5(3), 27-28.
19. Homayounfar, R., Ehrampoush, E., Cheraghpour, M., Ghaemi, A. R., Atefi, M., Zand, H., & Davoodi, H. (2013). Nutritional ergogenic aids for Weight Loss and Performance Enhancement from myth to document. *Iranian Journal of Nutrition Sciences & Food Technology*, 7(5), 855-875.
20. Petróczi, A., Naughton, D. P., Pearce, G., Bailey, R., Bloodworth, A., & McNamee, M. (2008). Nutritional supplement use by elite young UK athletes: fallacies of advice regarding efficacy. *Journal of the International Society of Sports Nutrition*, 5(1), 22.